



City of Reno
Business Licensing Department
SAFE SCAPE WALKTHROUGH
(RMC Sec. 5.07.123)

Business Name: Arlington Gas

Business Location: 350 S Arlington Ave **Annual Expiration:** October 31

Account Numbers: R114945A/R100605Q **Buffer Area (Y/N):** No

Contact Name/Info: Kewal Bains

Reno Municipal Code (“RMC”) Sec. 5.07.123 was adopted to safeguard property and promote public health, safety and welfare in and around the businesses; prevent crime, illegitimate behavior and nuisance behavior in and around the businesses; protect the City's investment in the redevelopment of the downtown areas, maintain and revitalize downtown property values; preserve and improve the quality of the City's downtown neighborhoods and commercial districts; and preserve and improve the quality of urban life.

Effective July 12, 2023, package alcohol/package wine and beer licensees located within the Downtown Safe Scape Area, Downtown Safe Scape Buffer Area, and the East 4th Street Corridor Safe Scape Buffer Area as depicted in RMC Sec. 5.07.123(a) are subject to an annual review pursuant to RMC Sec. 5.07.123 (j)(2).

Checklist Completion Notes:

1. Indicate whether the licensee is in compliance by indicating “Y” or “N” (Yes or No), through inquiry of personnel or via observation of procedures. “Yes” answers indicate compliance and no further follow-up is required.
2. All “NO” answers remaining upon final inspection require comments to further explain the violation and remedy.
3. Attach pictures when necessary.

| | 10/25/2023 | 11/13/2023 | 12/19/2023 | |
|--|------------|------------|------------|-----------------|
| Questions | Y/N | Y/N | Y/N | Comments |
| <u>Sec. 5.07.123 (b) - Operating Hours and Conditions.</u> | | | | |
| (1) Is the business operating within the designated zoning requirements? Indicate hours of operation in Comments. | Y | Y | Y | Hours: 24 hours |
| (2) Is a height marker placed at each exit to enable witnesses to a crime to estimate the height of the perpetrator? | Y | Y | Y | |
| (3) Does the licensee not store merchandise, boxes and other materials outdoors? | Y | Y | Y | |
| <u>Sec. 5.07.123 (c) - Products offered for sale.</u> | | | | |
| (1) Does the business dedicate at least ten percent (10%) of the retail floor space to fresh or frozen perishable foods? Note: Accessory uses, as defined in Title 18, are exempt from providing a minimum area designated to fresh or frozen perishable foods if the use is accessory to a hotel with non-restricted gaming use, food processing facility, restaurant with alcohol service, bar, or pharmacy. | Y | Y | Y | |

City of Reno
Business Licensing Department
SAFE SCAPE WALKTHROUGH
(RMC Sec. 5.07.123)

| | 10/25/2023 | 11/13/2023 | 12/19/2023 | |
|---|------------|------------|------------|---|
| Questions | Y/N | Y/N | Y/N | Comments |
| (2) Is sale or distribution of the following prohibited: | | | | |
| a. Wine in containers of less than 750 milliliters? | Y | Y | Y | |
| b. Beer, malt liquor, wine coolers, and similar alcoholic beverages in containers of less than 20 ounces not in original factory packages of four-packs or greater? | Y | Y | Y | |
| c. Distilled spirits in containers of less than 375 milliliters? | Y | Y | Y | |
| d. Paper or plastic cups in quantities less than their usual customary packaging? | Y | Y | Y | |
| (3) If the business is located in the Downtown Safe Scape Buffer Area, do they comply with the provisions of RMC 5.07.123(c)(2) between the hours of 8:00 a.m. and 5:00 p.m.? | N/A | | | Business is not located within the Buffer Area. |
| <u>Sec. 5.07.123 (d) - Surveillance.</u> | | | | |
| (1) Are entry detectors placed at each entrance of the business open to the public to alert the salesclerk, other store personnel and customers of the entrance or exit of any customer or other person? | Y | Y | Y | |
| (2) Are all automated teller machines and vending machines located inside the building, mounted securely to the floor and/or wall, located so as not to block required views of the cashier, within direct line of sight of the cashier, and not less than ten feet from the edge of any entrance or exit? | N | Y | Y | |
| <u>Sec. 5.07.123 (e) - Video Surveillance Cameras.</u> | | | | |
| (1) Does the business have video surveillance cameras that allow salesclerks or other employees to monitor interior and exterior activities? Note: These cameras shall be recording at all times during which the business is open to the public. The data collected by the cameras shall be stored for at least 24 hours. | Y | Y | Y | |
| (2) Does the business have a minimum of one sign in a conspicuous location stating that the premises is under active video surveillance? | Y | Y | Y | |

City of Reno
Business Licensing Department
SAFE SCAPE WALKTHROUGH
(RMC Sec. 5.07.123)

| | 10/25/2023 | 11/13/2023 | 12/19/2023 | |
|---|------------|------------|------------|---|
| Questions | Y/N | Y/N | Y/N | Comments |
| <u>Sec. 5.07.123 (f) - Visibility.</u> | | | | |
| <p>(1) Does the total area of opaque objects, including but not limited to items such as signs, displays, coolers, merchandise, automatic teller machines, and calling card vending machines, which are located on or within three horizontal feet of the window not exceed twenty-five percent (25%) of the area of any window or door glass?</p> <p>Note: If visibility is impeded due to the preexistence of coolers against the windows, per Code Enforcement MOU dated 2/4/2024, the coolers may remain in place as long as all other requirements of RMC 5.07.123 and the conditions noted in the MOU are satisfied.</p> | N | N | N | Refer to Note; MOU was issued subsequent to 3 rd inspection. Licensee is in compliance with the remainder of RMC 5.07.123 and all MOU conditions; no further follow-up required. |
| <p>(2) Is existing glass coverage on the storefront (including glass doors and windows) and other exterior glass coverage adjacent to and generally parallel to a public street or other public right-of-way not reduced or eliminated?</p> | N | N | N | |
| <u>Sec. 5.07.123 (g) - Window and Facade Security.</u> | | | | |
| <p>(1) If applicable, do the metal security bars or grates on windows, when used on a side of a building facing a public right-of-way, located on the interior side of the window?</p> | Y | Y | Y | |
| <p>(2) Are the style and shape of windows consistent with the design of the facade, and with any design guidelines adopted by the City for the area in which the business is located?</p> <p>Note: Consultation with the Planning Department may be necessary to confirm.</p> | Y | Y | Y | |
| <u>Sec. 5.07.123 (h) - Door Security.</u> | | | | |
| <p>(1) If applicable, are the metal accordion grate or grill-type doors, when located on the wall of a building facing a public right-of-way, located within the building interior and are they equipped with metal guide tracks at top and bottom, a cylinder lock and/or padlock, and is the bottom track designed so that the door cannot be lifted from the track when the door is in a locked position?</p> | Y | Y | Y | |

City of Reno
Business Licensing Department
SAFE SCAPE WALKTHROUGH
(RMC Sec. 5.07.123)

| | | | | |
|---|------------|------------|------------|----------|
| | 10/25/2023 | 11/13/2023 | 12/19/2023 | |
| Questions | Y/N | Y/N | Y/N | Comments |
| <u>Sec. 5.07.123 (i) - Outdoor Merchandise.</u> | | | | |
| (1) Does the licensee not allow outdoor merchandise and outdoor displays and racks between the front facade of the main building and the adjacent right-of-way? | Y | Y | Y | |

Notes/Additional Procedures: No additional procedures.

Final Disposition: Business in compliance

Completed by: Annie Cates Date: 02/06/2024

Date: 02/06/2024

Reviewed By: Lance Ferrato Date: 03/10/2024

Date: 03/10/2024