

Buell Recreation LLC
 7327 SW Barnes Rd #601
 Portland, OR 97225 USA
 +15039221650
 admin@buellrecreation.com



Quote

ADDRESS

Reno Parks & Recreation
 2055 Idlewild Drive
 Reno, NV 89509

SHIP TO

Wilkinson Park
 1201 E Taylor St
 Reno, NV 89502

QUOTE #	DATE	EXPIRATION DATE
G25-0138	04/08/2025	05/08/2025

PROJECT

Wilkinson Park

SALES REPRESENTATIVE

Rachel Gora

ACTIVITY	QTY	RATE	AMOUNT
Play Structure BCI Burke Structure per proposal #907-199754-2	1	288,929.00	288,929.00
Equalis Discount Equalis Contract Discount per Contract #2020.05.4A	1	-43,339.35	-43,339.35
Freight Shipping -does not include off loading Forklift generally required for offloading	1	9,450.00	9,450.00
Materials Only This quote is for materials only and does not include installation or unloading of product.	1	0.00	0.00
Buell Billing Please make Purchase Order to Buell Recreation and email to your representative or sales@buellrecreation.com. Acceptance of this proposal indicates your agreement to the terms and conditions stated herein.	1	0.00	0.00
Please provide the following with your signed quote/purchase order: -Payment per terms if required -Color selections -Shipping Address -Site Contact Name and Phone Number -Any Other Key information requested			
Lead Time Lead Time is approx. 9-10 weeks from receipt of your completed order and payment (if required). Lead times can fluctuate so please inquire upon time of ordering. We are making every effort to increase our capacity and improve our lead times.	1	0.00	0.00
Terms Govt. Govt. Purchase Order with payment due 60 days from product shipment and services such as installations due upon completion. Equipment may be invoiced separately from other services and are payable in advance of project/supply or completion. No retainage.	1	0.00	0.00

ACTIVITY	QTY	RATE	AMOUNT
Equalis Contract Equalis Publicly Solicited Contract #2020.05.4A Customer Member ID: EG-0028548 https://equalisgroup.org/	1	0.00	0.00

PLACING AN ORDER: Upon ordering please review and return this signed quote with a copy of your purchase order and tax exempt certificate, if applicable. Please mark any changes on the quote such as billing/shipping address, drivers contact and color selection. IF INSTALLATION IS INCLUDED: This quote does not include Prevailing Wages, Davis Bacon Wages or Performance Bonds unless noted. Owner is responsible for site preparation unless otherwise noted.

SUBTOTAL	255,039.65
TAX (8.265%)	0.00
TOTAL	\$255,039.65

Accepted By

Accepted Date




FEATURED PLAY EVENTS



Verto Climber 3 Freestanding

Burke's unique Verto Climbers have one, two or three climbing sections that can be combined in various configurations for unlimited adventures!



Hide the Numbers Game


Cognitive development and cooperative play shine with the Hide the Numbers Game! A great way to encourage intergenerational play and help children learn numbers, addition and strategy, this panel will bring educational fun to any playspace!



COBRA SLIDE® FUSION S

Excitement can't be contained when it comes to COBRA SLIDES! They are twisting, turning, in and out of light and SO MUCH FUN! Fun aside, sliding has a variety of developmental benefits ranging from core strength and balance to taking turns and imagination.

FEATURED PLAY EVENTS



Straight Overhead

Overhead events build upper body strength and endurance, improve eye-hand coordination and elevate children's self-confidence.



PlayEnsemble Supine Chimes Hue

As a universal experience that inspires everyone to create, music brings a sense of wonder to the play environment. Musical experiences aren't just play; they accelerate child development intellectually, socially and emotionally.



Freedom Swing Seat

The Freedom inclusive Swing Seat allows children of all abilities to enjoy the childhood joy of swinging in a safe and secure seat.

DESIGN SUMMARY

Buell Recreation is very pleased to present this Proposal for consideration for the Wilkinson Park Playground Project located in Gold River. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of Callander Associates. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.


The following is a summary of some of the key elements of our Proposal:

- Project Name: Wilkinson Park Playground Project
- Project Number: 907-199754-2
- User Capacity: 251
- Age Groups: 5 to 12, 2 to 5
- Dimensions: 93' 5"x101' 1"
- Designer Name: Pa Der Vang

Buell Recreation has developed a custom playground configuration based on the requirements as they have been presented for the Wilkinson Park Playground Project playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 907-199754-2 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Wilkinson Park Playground Project playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.



AREA: 7280 SQ. FT.

NOTE: ALTHOUGH ALL ATTEMPTS HAVE BEEN MADE TO PROVIDE AN ACCURATE SITE PLAN, THE USER SHALL VERIFY THE LOCATION AND SIZE OF THE STRUCTURE TO BE PLACED.

The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	GROUND EVENTS
53	21 / 11	21 / 5	0 / 6	22 / 7
				6 / 4

OVERALL BOUNDING OF USE ZONES
 Area: 9454.2 sq. ft.
 Perimeter: 389.2 ft.
 STRUCTURE SIZE: 2"x93' 6"
 POST SIZE: 3"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

SERIES Intensity | Nucleus | Burke Basics

GROUP:
5-12 Structure|NU-3686|Freestanding

DESIGNED FOR AGES:
5 to 12, 2 to 5

Wilkinson Park Playground Project
Reno, NV 89502

Burke
PLAY THAT MOVES YOU.

SITE PLAN VIEW


04/07/2025

Buell Recreation
907-199754-2

Designer: Pa Der Vang

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
53	21 / 11	21 / 5	0 / 6	6 / 4

OVERALL BOUNDING OF USE ZONES **The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Area: 9454.2 sq. ft.
Perimeter: 389.2 ft.
STRUCTURE SIZE: 2"x93' 6"
POST SIZE(S):

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

SERIES Intensity | Nucleus | Burke Basics

SITE PLAN VIEW

GROUP:
5-12 Structure

Wilkinson Park Playground Project
Reno, NV 89502


04/07/2025

DESIGNED FOR AGES:
5 to 12

Buell Recreation
907-199754-2

Designer: Pa Der Vang

Burke
PLAY THAT MOVES YOU.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
53	21 / 11	21 / 5	0 / 6	6 / 4

OVERALL BOUNDING OF USE ZONES
 Area: 9454.2 sq. ft.
 Perimeter: 389.2 ft.
STRUCTURE SIZE: 2"x93' 6"
POST SIZE(S): 3"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

SERIES Burke Basics

GROUP:
Freestanding

DESIGNED FOR AGES:
5 to 12

Wilkinson Park Playground Project
Reno, NV 89502

Burke
PLAY THAT MOVES YOU.


SITE PLAN VIEW

04/07/2025

Buell Recreation
907-199754-2

Designer: Pa Der Vang

ITEM	COMP.	DESCRIPTION
1	370-0851	VERTO CLIMBER 3 FS
2	270-0129	TRIANGLE PLATFORM
3	370-0232	FORMIS LADDER 56
4	270-0120	EVOLUTION UNITARY ENCLOSURE
5	570-0073	VISIO PASSAGE TUNNEL, 24" OFFSET
6	570-2732	PLAYSEMBLE BABEL DRUM
7	370-0041	EVOLUTION 40" TRANSITION STAIR W/ BARRIERS
8	270-0132	HALF HEXAGON PLATFORM
9	570-0100	EVOLUTION BARRIER
10	370-1718	TAKTIS BOW CLIMBER
11	470-0014	EVOLUTION HEX ROOF
12	470-0811	EVOLUTION ROOF END PLATE
13	470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE
14	470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT
15	470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT
16	570-2734	CLASSIC GAME PANEL, BELOW
17	370-1664	SHASTA CLIMBER, 40"-48"
18	270-0122	EVOLUTION OFFSET ENCLOSURE
19	570-2712	HIDE THE NUMBERS 2-SIDED PLAYPANEL
20	470-0796	COBRA SLIDE FUSION "5" 192"
21	570-2714	EVOLUTION 2.5' OPENING BARRIER
22	570-1558	EVOLUTION TALL CURVED TOP BARRIER, RIGHT
23	470-0122	COBRA SLIDE CURVED 192"
24	570-1544	EVOLUTION SHORT CURVED TOP BARRIER
25	370-1649	EVOLUTION, DECK TO ROOF CLIMBER
26	570-1557	EVOLUTION TALL CURVED TOP BARRIER, LEFT
27	370-0224	VICTORY CLIMBER
28	570-1545	EVOLUTION 6' OPENING BARRIER
29	370-1631	EVOLUTION, DECK TO DECK CLIMBER
30	470-0112	COBRA SLIDE CURVED 120"
31	370-0210	TERREX CLIMBER
32	370-1703	NUCLEUS CORE CROSS SUPPORT
33	370-0204	LINX LEVITATE CLIMBER
34	470-0868	SERENITY SPOT, TO ROOF
35	370-0287	TOPO CLIMBER
36	370-1709	NUCLEUS CORE TRANSFER BELT
37	560-2603	FS TRANGO CLIMBER, 5 TO 12
38	370-0854	VERTO CLIMBER 1
39	470-0110	COBRA SLIDE SPIRAL LEFT 168"
40	370-1705	NUCLEUS CORE CLIMBER, 8"
41	370-1702	NUCLEUS CORE ARCH CLIMBER
42	370-1666	SHASTA CLIMBER, 80"-96"
43	370-0040	EVOLUTION 32" TRANSITION STAIR W/ BARRIERS
44	370-1675	STRAIGHT OVERHEAD, NUCLEUS
45	370-1608	OVISTEP LAUNCH PAD
46	570-2707	RAIN CRESCENT PANEL
47	470-0075	CRESCENT PLATFORM
48	270-0009	8" CLOSURE PLATE, ELLIPSE



SERIES Intensity | Nucleus | Burke Basics

COMPONENT VIEW

GROUP:
5-12 Structure

Wilkinson Park Playground Project
Reno, NV 89502

04/07/2025


DESIGNED FOR AGES:
5 to 12

Burke
PLAY THAT MOVES YOU

Buell Recreation
907-199754-2

Designer: Pa Der Vang

ITEM	COMP.	DESCRIPTION
1	270-0129	TRIANGLE PLATFORM
2	370-1621	TAKTIKS, SHORT ROPE WALL
3	370-0842	APEX HOLE CLIMBER 2-5
4	370-1608	OVISTEP LAUNCH PAD
5	270-0122	EVOLUTION OFFSET ENCLOSURE
6	370-0210	TERREX CLIMBER
7	470-0132	INTENSITY SLIDE PLATFORM
8	470-0802	MONACO SLIDE, 32"-40"
9	470-0979	NICHE CAPSULE
10	570-2703	COLLISION RING PANEL
11	370-0181	PATHWAY LINK, POST TO POST
12	570-0411	PLAYENSEMBLE SUPINE CHIMES HUE
13	570-0008	PLAYENSEMBLE TITAN CHIMES HUE
14	570-2751	PLAYENSEMBLE, BONGO SET POST MOUNT
15	470-0075	CRESCENT PLATFORM
16	270-0009	8" CLOSURE PLATE, ELLIPSE
17	560-2714	EKO PROP
18	580-1364	LIL. NOVO BEAN STEP



SERIES Nucleus | Intensity | Burke Basics

COMPONENT VIEW

GROUP:
NU-3686

Wilkinson Park Playground Project
Reno, NV 89502


04/07/2025

DESIGNED FOR AGES:
2 to 5

Buell Recreation
907-199754-2

Designer: Pa Der Vang

Burke
PLAY THAT MOVES YOU



SERIES Intensity | Nucleus | Burke Basics

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

Wilkinson Park Playground Project
Reno, NV 89502

Burke
PLAY THAT MOVES YOU


ELEVATION VIEW

04/07/2025

Buell Recreation
907-199754-2

Designer: Pa Der Vang

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES Burke Basics

GROUP:
Freestanding

DESIGNED FOR AGES:
5 to 12

Wilkinson Park Playground Project
Reno, NV 89502

Burke
PLAY THAT MOVES YOU

ELEVATION VIEW

04/07/2025

Buell Recreation
907-199754-2

Designer: Pa Der Vang



SERIES Intensity | Nucleus | Burke Basics

ISOMETRIC VIEW

GROUP:
5-12 Structure|NU-3686|Freestanding

Wilkinson Park Playground Project
Reno, NV 89502

04/07/2025

DESIGNED FOR AGES:
5 to 12, 2 to 5

Burke
PLAY THAT MOVES YOU

Buell Recreation
907-199754-2

Designer: Pa Der Vang

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

Proposal 907-199754-2 | 4/7/2025 | 2025 Pricing

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit www.ipema.org.



The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

5-12 Structure

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-100C	5" OD X 100" CAPPED POST	1	0	0	53	53
072-0500-116C	5" OD X 116" CAPPED POST	1	0	0	61	61
072-0500-128C	5" OD X 128" CAPPED POST	1	0	0	67	67
072-0500-132C	5" OD X 132" CAPPED POST	5	0	0	69	345
072-0500-136C	5" OD X 136" CAPPED POST	2	0	0	71	142
072-0500-164C	5" OD X 164" CAPPED POST	1	0	0	86	86
072-0500-172C	5" OD X 172" CAPPED POST	2	0	0	90	180
072-0500-180C	5" OD X 180" CAPPED POST	1	0	0	94	94
072-0502-196S	5" OD X 196" SWAGED POST	3	0	0	103	309
072-0502-216S	5" OD X 216" SWAGED POST	1	0	0	113	113
072-0502-220S	5" OD X 220" SWAGED POST	10	0	0	115	1150
072-0504-10B	5" OD X 10" STUBBY POST	2	0	0	6	12
072-5503-104T	5" OD X 104" TOP ALUMINUM CAPPED POST	2	0	0	20	40
072-5503-64T	5" OD X 64" TOP ALUMINUM CAPPED POST	1	0	0	13	13
072-5503-68T	5" OD X 68" TOP ALUMINUM CAPPED POST	1	0	0	14	14
072-5503-80T	5" OD X 80" TOP ALUMINUM CAPPED POST	2	0	0	16	32
072-5503-88T	5" OD X 88" TOP ALUMINUM CAPPED POST	6	0	0	18	108
270-0009	8" CLOSURE PLATE, ELLIPSE	1	0	0	8	8
270-0120	EVOLUTION UNITARY ENCLOSURE	4	0	0	34	136
270-0122	EVOLUTION OFFSET ENCLOSURE	3	0	0	34	102
270-0129	TRIANGLE PLATFORM	5	2	10	48	240
270-0132	HALF HEXAGON PLATFORM	8	6	48	144	1152
370-0040	EVOLUTION 32" TRANSITION STAIR W/ BARRIERS	1	6	6	239	239
370-0041	EVOLUTION 40" TRANSITION STAIR W/ BARRIERS	1	8	8	301	301
370-0204	LINX LEVITATE CLIMBER	1	6	6	223	223

370-0210	TERREX CLIMBER	1	12	12	326	326
370-0224	VICTORY CLIMBER	1	1	1	328	328
370-0232	FORMIS LADDER 56	1	4	4	91	91
370-0287	TOPO CLIMBER	1	3	3	76	76
370-1631	EVOLUTION, DECK TO DECK CLIMBER	1	7	7	481	481
370-1649	EVOLUTION, DECK TO ROOF CLIMBER	2	7	14	472	944
370-1664	SHASTA CLIMBER, 40"-48"	1	2	2	20	20
370-1666	SHASTA CLIMBER, 80"-96"	1	4	4	32	32
370-1702	NUCLEUS CORE ARCH CLIMBER	1	7	7	265	265
370-1703	NUCLEUS CORE CROSS SUPPORT	2	0	0	32	64
370-1705	NUCLEUS CORE CLIMBER, 8'	1	12	12	161	161
370-1709	NUCLEUS CORE TRANSFER BELT	1	2	2	60	60
470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE	1	0	0	13	13
470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT	4	0	0	16	64
470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT	4	0	0	16	64
470-0014	EVOLUTION HEX ROOF	2	0	0	145	290
470-0075	CRESCENT PLATFORM	1	1	1	52	52
470-0110	COBRA SLIDE SPIRAL LEFT 168"	1	3	3	508	508
470-0112	COBRA SLIDE CURVED 120"	1	3	3	407	407
470-0122	COBRA SLIDE CURVED 192"	1	3	3	563	563
470-0796	COBRA SLIDE FUSION "S" 192"	1	3	3	501	501
470-0811	EVOLUTION ROOF END PLATE	1	0	0	12	12
470-0868	SERENITY SPOT, TO ROOF	1	2	2	292	292
570-0073	VISIO PASSAGE TUNNEL, 24" OFFSET	1	0	0	445	445
570-0100	EVOLUTION BARRIER	3	0	0	52	156
570-1544	EVOLUTION SHORT CURVED TOP BARRIER	2	0	0	50	100
570-1545	EVOLUTION 6' OPENING BARRIER	1	0	0	78	78
570-1557	EVOLUTION TALL CURVED TOP BARRIER, LEFT	2	0	0	114	228
570-1558	EVOLUTION TALL CURVED TOP BARRIER, RIGHT	4	0	0	114	456
570-2707	RAIN CRESCENT PANEL	1	1	1	16	16
570-2712	HIDE THE NUMBERS 2-SIDED PLAYPANEL	1	2	2	70	70
570-2714	EVOLUTION 2.5' OPENING BARRIER	2	0	0	36.9	73.8
570-2732	PLAYENSEMBLE BABEL DRUM	1	1	1	14	14
570-2734	CLASSIC GAME PANEL, BELOW	1	2	2	65	65
670-0425	5" OD STUBBY POST CAP	2	0	0	1	2
670-0427	5" OD X 11 GA POST EXTENSION	14	0	0	10	140

5-12 Structure

Intensity

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
370-0851	VERTO CLIMBER 3 FS	1	3	3	103	103
370-0854	VERTO CLIMBER 1	2	1	2	35	70
370-1608	OVISTEP LAUNCH PAD	1	1	1	10	10
370-1675	STRAIGHT OVERHEAD, NUCLEUS	1	6	6	53	53
370-1718	TAKTIKS BOW CLIMBER	1	7	7	103	103

5-12 Structure

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
560-2603	FS TRANGO CLIMBER, 5 TO 12	1	5	5	32	32

Freestanding

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	3	1	3	10	30
550-0171	FREEDOM SWING SEAT, 8' BEAM, STD CHAIN	1	1	1	38	38
550-0228	EVOLUTION ARCH SWING	1	0	0	399	399
550-0229	EVOLUTION ARCH SWING ADDED BAY	1	0	0	240	240

NU-3686

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-100C	5" OD X 100" CAPPED POST	1	0	0	53	53
072-0500-104C	5" OD X 104" CAPPED POST	1	0	0	55	55
072-0500-108C	5" OD X 108" CAPPED POST	2	0	0	57	114
072-0500-112C	5" OD X 112" CAPPED POST	1	0	0	59	59
072-0500-116C	5" OD X 116" CAPPED POST	1	0	0	61	61
072-0500-124C	5" OD X 124" CAPPED POST	2	0	0	65	130
072-0500-72C	5" OD X 72" CAPPED POST	1	0	0	38	38
072-0500-88C	5" OD X 88" CAPPED POST	1	0	0	46	46
270-0009	8" CLOSURE PLATE, ELLIPSE	1	0	0	8	8
270-0122	EVOLUTION OFFSET ENCLOSURE	1	0	0	34	34
270-0129	TRIANGLE PLATFORM	1	2	2	48	48
370-0181	PATHWAY LINK, POST TO POST	1	10	10	161	161
370-0210	TERREX CLIMBER	1	12	12	326	326
470-0075	CRESCENT PLATFORM	1	1	1	52	52
470-0132	INTENSITY SLIDE PLATFORM	1	2	2	183	183
470-0802	MONACO SLIDE, 32"-40"	1	2	2	70.6	70.6
470-0979	NICHE CAPSULE	1	4	4	206	206

570-0008	PLAYENSEMBLE TITAN CHIMES HUE	1	2	2	107	107
570-0411	PLAYENSEMBLE SUPINE CHIMES HUE	1	2	2	93	93
570-2751	PLAYENSEMBLE, BONGO SET POST MOUNT	1	1	1	22	22

NU-3686

Intensity

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
370-0842	APEX HOLE CLIMBER 2-5	1	2	2	55	55
370-1608	OVISTEP LAUNCH PAD	1	1	1	10	10
370-1621	TAKTIKS, SHORT ROPE WALL	1	1	1	26	26
570-2703	COLLISION RING PANEL	1	1	1	48	48

NU-3686

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
560-2714	EKO PROP	1	12	12	238	238
580-1364	LIL NOVO BEAN STEP	1	1	1	28	28

Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**

COLOR SELECTION LIST | Default Color Option

GROUP 1 (5-12 Structure)

Flat: Lime | Ocean | Purple | Orange
Acc: Orange | Fuchsia | Purple | Lime
Post: Silver
Deck: Gray
Plastic: Purple | Lime | Orange
Panel: Orange-Black-Orange | Lime-Black-Lime | Purple-Gray-Purple

GROUP 2 (NU-3686)

Deck: Gray
Post: Silver | Orange | Lime
Acc: Orange | Fuchsia | Lime | Purple
Flat: Ocean | Purple | Lime
Panel: Orange-Black-Orange | Purple-Gray-Purple | Lime-Black-Lime
Plastic: Lime | Purple | Orange

GROUP 3 (Freestanding)


Post: Orange | Silver | Purple
Deck: Gray
Plastic: Lime

COLORS THAT MOVE YOU


POWDER COAT PAINT



TRADITIONAL SERIES SITE AMENITIES




PLATFORMS



SOLIS HUE TOPPERS




ROCKIT CLIMBERS




HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT [BCIBURKE.COM/COLOR](https://bciburke.com/color) TO CUSTOMIZE YOUR PLAYGROUND COLORS!

BURKE GENERATIONS WARRANTY®

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Nucleus®, Nucleus Evolution®, Nucleus Aspire®, Intensity®, Level X®, Synergy®, Synergy Imagination® & 4ME®) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreConnect® Clamp Castings against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers).
- One Hundred (100) Year Limited Warranty on bolt-through and direct-bolt fastening and clamp systems (Synergy®, Intensity®, Nucleus®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay® Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Nucleus®, Intensity®, and RopeVenture® cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on rubber belt material against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 800-356-2070.

01/2025